




Microcom Design, Inc.




# DADDS

## Integrated Wide Area Remote Data Collection System Environmental WAN

### Description

DADDS (DCS Acquisition, Direction and Distribution Systems) is the Data Management and Distribution functions for wide are environmental network. The diagram below shows all the elements associated with a WAN for environmental data collection.



## Distributed Data Collection, Distribution and Management System

The DADDS is composed of hardware and software elements. The topology diagram above is descriptive of the hardware organization. The left major sub block is the data collection communications. More than one communications mode can be supported. The GOES (and related satellites) DCS section is the either the DAMS-NT or *DigiTrak* direction reception system. Other communications management for Line Of Sight Radio (ALERT-IFLOWS), GMS / GPRS, or IP protocol

**Microcom Design, Inc.**  
 10948 Beaver Dam Road  
 Hunt Valley, MD, USA 21030  
 Tel: (410) 771-1070  
 Fax: (410) 771-0018  
 E-mail: [sales@microcomdesign.com](mailto:sales@microcomdesign.com)

**Microcom Canada**  
 Omnimetrix  
 3465 Ashby  
 St. Laurent, QC H4R 2K3  
 Tel: (703) 533-7291  
 E-mail: [roger@omnimetrix.com](mailto:roger@omnimetrix.com)


**Microcom Brazil**  
 Simtech Representacoes LTDA  
 Rua do Mercado 17/14 andar Centro  
 Rio de Janeiro, Brazil CEP 20010-120  
 Tel: 21-2532-2801  
 Fax: 21-2240-1242  
 E-mail: [MicrocomIntl@simtech.com.br](mailto:MicrocomIntl@simtech.com.br)



Microcom Design, Inc.

# DADDS


## Integrated Wide Area Remote Data Collection System Environmental WAN



networked systems is available. All elements of the design are based on the idea of distributed processing. There are three sub Local Area Networks (LANs) that are associated with Data Acquisition communications, Database and processes, and Internet Distribution and User Interface. The central database LAN connects to the Data Communications and Internet blocks. The Internet web user interface is user name and pass word protected. Privileges are assigned based on a hierarchal assignment of the user sign in name and password.

The DADDS is built around MS SQL database and MS Server Operating Systems. All other processes either draw from or source (or both) from this database. A diagram of this design is shown below.

### Distributed Environmental Data System Process



The user interfaces for DADDS and DAMS-NT make extensive use of Graphical Interfaces. An example is shown below of the Mother Window and four child windows. Any of the windows may be manipulated in the customary manner.


**Microcom Design, Inc.**  
10948 Beaver Dam Road  
Hunt Valley, MD, USA 21030  
Tel: (410) 771-1070  
Fax: (410) 771-0018  
E-mail: [sales@microcomdesign.com](mailto:sales@microcomdesign.com)

**Microcom Canada**  
Omnimatrix  
3465 Ashby  
St. Laurent, QC H4R 2K3  
Tel: (703) 533-7291  
E-mail: [roger@omnimatrix.com](mailto:roger@omnimatrix.com)

**Microcom Brazil**  
Simtech Representacoes LTDA  
Rua do Mercado 17/14 andar Centro  
Rio de Janeiro, Brazil CEP 20010-120  
Tel: 21-2532-2801  
Fax: 21-2240-1242  
E-mail: [MicrocomIntl@simtech.com.br](mailto:MicrocomIntl@simtech.com.br)



Microcom Design, Inc.



# DADDS

## Integrated Wide Area Remote Data Collection System Environmental WAN

The screenshot displays the DADDS Application interface with the following components:

- Channel Monitor:** Shows 199 channels with 168 active, 2 warnings, and 2 errors. A table lists active channels with details like Channel, DCP Addr, DCP Owner, and DCP Location.
- Process Manager:** Lists various processes such as DDS, CHNMON, DNTHIQ, and MSGCMP.
- DCP Data Table:** A detailed table with columns for Data Source, Slot, Chan, Baud, AddiCorr, AddiOrig, Start Time, and End Time. It shows data for multiple channels, including UCOM02DNTHIQA.
- Map:** A map of Florida showing the DCP Platform locations.

### DADDS Multiple Document Interface Application

The entire system may be sized according to requirements. The size measurements are based on a number of variables some of which are:

- Number of remote sites (up to 100,000)
- Number of messages per day, average and peak loads
- Number of users

**Microcom Design, Inc.**  
 10948 Beaver Dam Road  
 Hunt Valley, MD, USA 21030  
 Tel: (410) 771-1070  
 Fax: (410) 771-0018  
 E-mail: [sales@microcomdesign.com](mailto:sales@microcomdesign.com)

**Microcom Canada**  
 Omnimetrix  
 3465 Ashby  
 St. Laurent, QC H4R 2K3  
 Tel: (703) 533-7291  
 E-mail: [roger@omnimetrix.com](mailto:roger@omnimetrix.com)

**Microcom Brazil**  
 Simtech Representações LTDA  
 Rua do Mercado 17/14 andar Centro  
 Rio de Janeiro, Brazil CEP 20010-120  
 Tel: 21-2532-2801  
 Fax: 21-2240-1242  
 E-mail: [MicrocomIntl@simtech.com.br](mailto:MicrocomIntl@simtech.com.br)




Microcom Design, Inc.

## DADDS

Integrated Wide Area Remote Data Collection System

### Environmental WAN



The DADDS may be configured to provide a number of approaches to achieve very high availability. The first approach is to provide redundant capability for all functions with auto fail over. A further separate approach is to use a second site in a geographically separate location. The Prime and Backup site are maintained in synchronism via replication methods. A secure communications path is needed between the two sites. If a site is disabled the other operates in a normal mode. When the disabled site is reengaged the disabled site is brought into synchronism with the operating site.

The hardware implementation is based on the multiple servers. These servers may be housed in a single blade type server cage such as available from a number of vendors.

A number of optional applications packages may be used with DADDS. These include packages such as Aquatics Informatics, DataWise, and Datapoint. Physical models may be also be run within this DADDS using either raw data or data processed by earlier data management applications.

DADDS is organized on a site and user basis. Site tables (known as Platform Data Tables) use individual ID codes that are uniquely assigned. Information fields in these tables include sensors, message structure for decoding, site location, communication parameters such as reporting time and interval. The User tables include fields for User Name and Password that are tied with User privileges as well as other user information. One example is that a user in a specific region has access to all data but is permitted to change or add site information (PDT tables) in station associated with his region.

Application programs have access to the engineering values as soon as they are received from the remote sites. Site data tables would have additional fields that are filled in by applications that use the site engineering value data to derive computed information. Atypical example is the derivation of stream flow data from water level.

**Microcom Design, Inc.**  
10948 Beaver Dam Road  
Hunt Valley, MD, USA 21030  
Tel: (410) 771-1070  
Fax: (410) 771-0018  
E-mail: [sales@microcomdesign.com](mailto:sales@microcomdesign.com)

**Microcom Canada**  
Omnimetrix  
3465 Ashby  
St. Laurent, QC H4R 2K3  
Tel: (703) 533-7291  
E-mail: [roger@omnimetrix.com](mailto:roger@omnimetrix.com)

**Microcom Brazil**  
Simtech Representacoes LTDA  
Rua do Mercado 17/14 andar Centro  
Rio de Janeiro, Brazil CEP 20010-120  
Tel: 21-2532-2801  
Fax: 21-2240-1242  
E-mail: [MicrocomIntl@simtech.com.br](mailto:MicrocomIntl@simtech.com.br)